




产品介绍



1

模拟电池系列



型号	ASD-B0102	ASD 906B	ASD906-25V20A	ASD906-36V10A	ASD906-48V30A
显示界面	4.3寸 触摸彩显	4.3寸 触摸彩显	4.3寸 触摸彩显	4.3寸 触摸彩显	4.3寸 触摸彩显
通讯	RS232 / USB	RS232 / USB	RS232 / USB	RS232 / USB	RS232 / USB
电压范围	0~5V	0~20V	0~25V	0~36V	0~48V
电流范围	0~2A	0~12A	0~20V	0~10A	0~30A
最大功率	10W	240W	250W	300W	500W
电压分辨率	1mV	1mV	1mV	1mV	1mV
电流分辨率	1uA	1uA	1uA	1uA	1uA

电源测试设备系列

[illegible]

4

无线充测试设备系列



型号	ASD 934	ASD 936
显示界面	10.1寸 触摸彩显	10.1寸 触摸彩显
支持线圈个数	1	1-16
电源模块	2	2
电源规格	20V/5A	20V/5A
电源协议	PD、QC	PD、QC
接收协议	Qi协议 (EPP、BPP、三星、苹果等)	Qi协议 (EPP、BPP、三星、苹果等)
电压分辨率	1mV	1mV
电流分辨率	1mA	1mA
接收模块	单线圈接收头	多线圈接收头
接收功率	15W	15W

The background features a series of blue-outlined squares of varying sizes, some of which are 3D cubes, arranged in a stepped, staircase-like pattern on the left side. On the right side, there are several thin, light blue wavy lines that flow horizontally across the frame.

非常感谢您的观看
